



The DRH67 antenna combines small dimensions with high accuracy and perfect electrical parameters. For safe storage, it is placed in a tailor-made wooden box, which guarantees that your antenna will always be in the best condition.

Cloned antenna series are available through **AU Technology**, which guarantees constant parameters.

Manufactured with RF SPIN's **SPM Technology** to achieve the best mechanical and radio parameters.

Features and Specifications



Technical Performance

- Wide bandwidth
- Low return loss
- Individual calibration
- Covers 5G frequency band



Design and Surface Treatment

- Corrosion-resistant coating
- Includes standard mount
- Storage in protective tailor-made wooden box



Manufacturing Technology

- Manufactured using a high grade aluminum alloy
- Extremely durable
- High quality 1.85mm type coaxial connector



Product Packaging Includes

- Adapter with 1/4 inch inner thread, supplied with antenna
- Linear polarized double ridged broadband horn antenna

Product Parameters

PRODUCT IDENTIFICATION

Product Name	DRH67
Product Category	Double Ridged Horn Antenna

ELECTRICAL SPECIFICATIONS

Frequency Range	6 GHz – 67 GHz
VSWR (max.)	1.9
VSWR (avg.)	1.35
Impedance	50 Ohm
Connector	1.85mm (female)
Power (CW / Peak)	5 W / 10 W
Antenna Factor	38.5 – 50.5 dB/m
Polarization	Linear

PHYSICAL SPECIFICATIONS

Width	32.7 mm (1.287 in)
Height	48.5 mm (1.909 in)
Depth	32 mm (1.260 in)
Weight	0.05 kg (0.110 lb)

OPERATING CONDITIONS


Rated Temperature Range	0°C – +50°C
Storage Temperature Range	-20°C – +70°C

MOUNTING FLANGE


Mounting	Adapter with 1/4 inch inner thread, supplied with antenna
----------	--

Mechanical Drawings

Antenna




Mounting flange




Parameters and Performance

Typical parameters


VSWR




Gain



Antenna Factor




Cross Polarization




Beamwidth

Port A, E plane




Port A, H plane




Radiation Patterns


6 GHz




10 GHz




16 GHz




22 GHz




28 GHz




34 GHz




40 GHz




46 GHz




52 GHz




58 GHz



64 GHz



67 GHz



Packaging and Accessories

What's in a box

- DRH67 Antenna
- Antenna specific mount adapter with ¼ inch inner thread
- Protective wooden case
- Factory calibration certificate
- Full calibration report of each antenna
- QR code accessing online portal
- Calibration test dataset (available online)

Accessories

- Standard mounting flange

Optional Accessories

- [AHS22-HI Antenna Fixture](#)
- [PAS02 Antenna Stand](#)
- [PAS2022 Antenna Stand](#)

Custom services

- Custom mounting solutions
- Custom calibration data

Manufacturer Information

About Datasheet

Product information available also online at
<https://www.rfspin.com/product/drh67/>

Data and specifications subject to change without notice.

Datasheet revision 02-2024.

© RFspin 2024

📍 Address

RFspin s.r.o.
Na Beránce 57/2
160 00 Prague 6
Czech Republic

✉ E-mail

info@rfspin.com

📞 Phone

[+420 245 008 847](tel:+420245008847)